

Work Order ID 65777

Tuesday, January 25, 2011 10:44:41 AM



Page 1

Item ID: D3822-7KIV

Accept



Setup Start



Revision ID:

Stop



Item Name: Vertical Tunnel, Lower-Ivory

Start Date: 1/25/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals:

Process Plan:

PL

Date:

1-01-25

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

Pto →

100

0.00



HandThermo

Memo

0.00

Hand Finishing Thermoforming

I-Cut Sheet to required Blank size

x2

YH
11/02/02

105

0.00



HandThermo

Dry Material

Memo

0.00

Hand Finishing Thermoforming

Dry Sheet as per QSI022 KYDEX

x2

YH
11/02/03

Temp: *150°*

Time IN: *4:00 pm*

Time OUT: *7:00 am*

11/02/02
11/02/03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
11/22/10	12	Perm. change Fill out header box with at least correct information					S 11/22/10

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65777

Tuesday, January 25, 2011 10:44:41 AM

Page 2

Item ID: D3822-7KIV

Accept



Setup Start



Revision ID:

Item Name: Vertical Tunnel, Lower-Ivory

Stop



Start Date: 1/25/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
110 Thermoform Thermoforming Machine	Memo 1-Machine Set-Up 2-Pre-heat Tool to required temp. 3-Thermoform as per Dwg and Folio #FTA029 using tool DT9396 Dwg Rev: <u>S</u> Folio Rev: <u>B</u>	0.00 0.00				<u>x2</u>			<u>Dh</u> 11/02/03
120 QC Quality Control	QC2- Inspect parts off machine FAI/FAIB Memo Visually inspect part for proper formation and texture	0.00 0.00				<u>x2</u>			<u>Dh</u> 11/02/03
130 QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.00				<u>(12)</u>			<u>BB</u> 11/02/10

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65777

Tuesday, January 25, 2011 10:44:41 AM



Page 3

Item ID: D3822-7KIV

Accept



Setup Start



Revision ID:

Stop



Item Name: Vertical Tunnel, Lower-Ivory

Start Date: 1/25/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140		0.00							
						x2			dh
HandThermo	Memo	0.00							11/02/03
Hand Finishing Thermoforming	1-Trim to finished dimensions as per Dwg								
150	QC2- Inspect parts off machine FAI/FAIB	0.00							
						x2			dh
QC	Memo	0.00							11/02/03
Quality Control	Complete FAI document								
160	QC5- Inspect part completeness to step on W/O	0.00							
QC	Memo	0.00							
Quality Control									

Subtotal

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65777

Page 4

Tuesday, January 25, 2011 10:44:41 AM

Item ID: D3822-7KIV

Accept



Setup Start



Revision ID:

Stop



Item Name: Vertical Tunnel, Lower-Ivory

Start Date: 1/25/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 2/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

170

Identify as per dwg & Stock Location: _____

0.00



Packaging

Memo

MPL65771

0.00

Packaging

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, January 25, 2011 10:44:47 AM

Page 1

Work Order ID: 65777



Parent Item: D3822-7KIV



Parent Item Name: Vertical Tunnel, Lower-Ivory

Start Date: 1/25/2011

Required Date: 2/7/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP RevA: New issue DD verified by:EC
Add Step 105 Dry Material 10/04/21 DL

Ipp Rev. B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

MKYD6185S.080-P3-
62015

Purchased

No

100

sf

1,245.189

2.16

4.322161



6185 KYDEX .080"

Location

Loc Qty

Loc Code

therm

1245.189115

109703

101.189115

116576

1144

4.322161 sy At

11/02/03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 65777
Description: Vertical Tunnel, Lower		Part Number: D3822-7KIV/KGY
Inspection Dwg: D3822	Rev: C	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST
THERMOFORMING SECTION

Description	Accept	Reject	Method of Inspection	Comments
Inside Radii less than "	✓			
Shape Definition	✓			
Texture Retention	✓			
Material imperfections such as bumps, cracks, voids, scratching	✓			

Measured by: <i>Dh</i>	Date: 11/02/03
-------------------------------	-----------------------

TRIMMING SECTION


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.20 - 0.15	Min	0.160"	✓			
0.060	Min	0.070"	✓			
2.0	Min	2.06"	✓			
17.0	Min	17.06"	✓			
0.4	Min	0.57"	✓			
0.2	Min	0.23"	✓			
5.9	+/-0.100	5.82"	✓			

Measured by: <i>Dh</i>	Date: 11/02/03
Audited by: <i>JB</i>	Date: 11/02/07
Preliminary Approval:	Date:

Rev	Date	Change	Revised by	Approved
A	09.07.29	New Issue	KJ	
B	10.11.12	Dimensions added	KJ	

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *65777*
11-01-25

RELEASED
07/02/12



D3822-1 VERTICAL TUNNEL, LH
(BELL 206 A/B)

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 1.1 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9073 PER DART QSI 022. TRIM PER MOLD.
- 9) MINIMUM THICKNESS: 0.050" UNLESS OTHERWISE NOTED



PART NUMBER	DESCRIPTION
D3822-1KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3822-1KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

C	ADD STEEL GRAY COLOUR OPTION, ADD IVORY P/N'S D3822-1/-2/-3/-5/-7(KIV) AND ADD STEEL GRAY P/N'S D3822-1/-2/-3/-5/-7(KGY) (ZN A5-1, A5-2, A5-4, A5-5, A5-6)	PH	09.05.05
B	37.8 WAS 38.8 (ZN C8-4); MODIFY TOP OF -3 AND ADD VIEW J (ZN A3-4); INCREASE JOGGLE ON -3 (ZN C6-4); UPDATE VIEW F (ZN A1-4); REASON: TO IMPROVE FIT OF D206-781-151 KIT	PH	09.02.09
A	NEW ISSUE	PH	08.09.24
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>PH</i>		
DRAWN	<i>PH</i>		
CHECKED	<i>PH</i>		
MFG. APPR.	<i>PH</i>		
APPROVED	<i>PH</i>		
DE APPR.	<i>PH</i>		
DATE	09.05.05		

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. D3822	REV. C
TITLE VERTICAL TUNNEL (BELL 206 A/B)	SCALE NTS
COPYRIGHT © 2008 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3822-2 VERTICAL TUNNEL, RH
(BELL 206 A/B)

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 1.1 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9074 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.050" UNLESS OTHERWISE NOTED



PART NUMBER	DESCRIPTION
D3822-2KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3822-2KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	<i>PH</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>PH</i>		
CHECKED	<i>JA</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>PH</i>	D3822	SHEET 2 OF 6
APPROVED	<i>PH</i>	TITLE	SCALE
DE APPR.	<i>PH</i>	VERTICAL TUNNEL (BELL 206 A/B)	NTS
DATE	09.05.05	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

w/c 65777

RELEASED
09/05/22


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




SECTION A-A

C6-1




SECTION B-B

C6-1



SECTION C-C

C4-2



SECTION D-D

C4-2

RELEASED
09/05/05

u6 165777

DESIGN	RA	DART AEROSPACE LTD	
DRAWN	RA	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RA	DRAWING NO.	REV. C
MFG. APPR.	RA	D3822	SHEET 3 OF 6
APPROVED	RA	TITLE	SCALE
DE APPR.	RA	VERTICAL TUNNEL (BELL 206 A/B)	NTS
DATE	09.05.05	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

8 7 6 5 4 3 2 1

D

C

B




D3822-3 VERTICAL TUNNEL, AFT CENTER
(BELL 206 A/B)


NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 1.1 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9072 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.050" UNLESS OTHERWISE NOTED

PART NUMBER	DESCRIPTION
D3822-3KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3822-3KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)



VIEW J
SCALE 2X



VIEW F
SCALE 2X
(ROTATED 90° CW)

RELEASED
09/05/22

DESIGN	REV. C	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	DRAWING NO. D3822	
CHECKED	MFG. APPR.	REV. C
APPROVED	DE APPR.	SHEET 4 OF 6
DATE	09.05.05	TITLE
		VERTICAL TUNNEL (BELL 206 A/B)
		SCALE
		NTS

COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMBINED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

8 7 6 5 4 3 2 1


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3822-7 VERTICAL TUNNEL, LOWER
(BELL 206 A/B)

SECTION H-H B3-6

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) WITH VIBRATING STYLUS
- 7) WEIGHT: 0.36 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9396 PER DART QSI 022
- 9) MINIMUM THICKNESS: 0.060" UNLESS OTHERWISE NOTED



PART NUMBER	DESCRIPTION
D3822-7KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3822-7KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	PA	DART AEROSPACE LTD
DRAWN	PA	HAWKESBURY, ONTARIO, CANADA
CHECKED	PA	DRAWING NO. D3822
MFG. APPR.	PA	REV. C
APPROVED	PA	SHEET 6 OF 6
DE APPR.	PA	TITLE
DATE	09.05.05	VERTICAL TUNNEL (BELL 206 A/B)
		SCALE
		NTS

COPYRIGHT © 2005 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

RELEASED
09/05/22 M

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries